DOUBLE ATTIC WINDOWS



Penguin Showers by Ursula Reikes, 1999, Ivins, Utah, 42½" x 42½".

Alternate quilt Safari Windows (see page 78)

DIRECTIONS

 Make 18 half-square triangle units as shown on page 8, using 27/8" squares cut from Fabrics A and B.



Make 18


2. Make 9 Double Attic Windows blocks.





Make 9.

3. Arrange the blocks and sashing strips in rows.



- 4. Join the blocks and sashing strips. Join the rows of blocks and horizontal sashing strips.
- Sew the inner border strips to the side edges of the quilt top first, then to the top and bottom edges. See "Borders with Straight-Cut Corners" on page 11.
- 6. Sew the outer border strips to the side edges first. Add a corner square to each end of the remaining outer border strips and attach them to the top and bottom edges. See "Borders with Corner Squares" on page 12.



- 7. Layer the quilt top with batting and backing; baste. Quilt as desired.
- 8. Bind the edges and add a label.

MATERIALS

42"-wide fabric

CUTTING

Cut all strips across the fabric width


		FIRST CUT		SECOND CUT	
Fabric	Yardage	# of Strips	Strip Size	# of Pieces	Piece Size
Theme print	1/2 yd.	2	6½" x 42"	9	61/2" x 61/2"
Fabric A	½ yd.	1	27/8" x 42"	9	27/8" x 27/8"
		2	2½" x 42"	8	21/2" x 81/2"
		2	2½" x 42"	1	21/2" x 81/2"
				9	21/2" x 61/2"
Fabric B	1/2 yd.	1	27/8" x 42"	9	27/8" x 27/8"
		2	2½" x 42"	8	21/2" x 81/2"
		2	21/2" x 42"	1	2½" x 8½"
				9	21/2" x 61/2"
Sashing/inner bor	der ½ yd.			1820	
(vertical sashing)		2	1½" x 42"	6	11/2" x 101/2"
(horizontal sashing)		2	1½" x 32½"		
(side borders)		2	11/2" x 321/2"		
(top/bottom borders)		2	11/2" x 341/2"	A	
Outer Border	5/8 yd.	4	41/2" x 341/2"		
Corner Squares	1/4 yd.	1	4½" x 18"	4	41/2" x 41/2"
Backing	11/2 yds.*			Access to	
Binding	3/8 yd.	5	21/4" x 42"		
Batting	45" x 45"				



Double Attic Windows Finished size: 10"

^{*} See page 12 for piecing the backing.

This pattern is from the book "Even More Quilts for Baby" by Ursula Reikes and is used by permission from Martingale & Company for Project Linus. 1. Cut squares the size given in the quilt directions. Draw a diagonal line from corner to corner on the wrong side of the lightest fabric. This is your cutting line. Draw another set of lines 1/4" away from the drawn line. These are your sewing lines.



2. Place the square with the drawn line on top of a square of the contrasting fabric, right sides together. Stitch on the drawn sewing lines, or 1/4" away from the center line on both sides.



3. Cut on the drawn center line. Open the unit and press the seams toward the darker fabric. Each pair of squares yields 2 half-square triangle units.





PIECING HALF-SQUARE TRIANGLE UNITS

Three of the patterns in this book—Sickle (page 46), Four-X Star (page 60), and Double Attic Windows (page 72) —require half-square triangle units. Use the following method to make these units.